NANSHE®

शुद्ध जल स्वस्थ जीवन

SERVING

PURITY

THROUGH

QUALITY

PRODUCTS

www.nanshe.in

NANSHE®
शुद्ध जल स्वस्थ जीवन

KALPESH SHAH
DIRECTOR

WHY TO JOIN PARSHWAM GROUP?

- GET EVERYTHING ABOUT WATER AT ONE SPOT
- PROMPT SERVICE AND TECHNICAL SUPPORT
- FAIR AND TRANSPARENT ACCOUNTING
- PREMIUM RANGE OF QUALITY PRODUCTS
- BEST RATE AND ORIGINAL PRODUCTS
- TRUSTED BRAND IN WATER PURIFICATION INDUSTRY SINCE LAST 23 YEARS
- IN HOUSE MANUFACTURING OF ALL RO COMPONENTS

THE BRAND YOU CAN TRUST

DISTRIBUTOR

PHILIPS
VONTRON
HM DIGITAL

IMPORTER

B.N.Q.S.
BODEER 波得尔
TANKLIFE™
Boda Faucet 博多水龙头

MEMBRANE

CLASSIC RO MEMBRANES

NANSHE®
शुद्ध जल स्वस्थ जीवन

- Genuine Certified High Flow Sheet
- High TDS High Flow Membrane
- Best Performance Upto - 2500* TDS
- Salt Rejection - 94 to 96%
- Consistent Results & Proven Performance

WORKS UP TO

2500* TDS

80 | 100 | 150 GPD

DIAMOND RO MEMBRANES

NANSHE®
शुद्ध जल स्वस्थ जीवन

- Genuine Certified Ovay Sheet
- High TDS High Flow Membrane
- Best Performance Upto - 4000* TDS
- Salt Rejection - 97 to 99%
- Consistent Results & Proven Performance

WORKS UP TO

4000* TDS

80 | 100 | 150 GPD

300 GPD RO MEMBRANES

NANSHE®
शुद्ध जल स्वस्थ जीवन

CLASSIC

- Genuine Certified High Flow Sheet
- High TDS High Flow Membrane
- Salt Rejection - 94 to 96%
- Consistent Results & Proven Performance

BEST PERFORMANCE UPTO - 2500* TDS

DIAMOND

- Genuine Certified Ovay Sheet
- High TDS High Flow Membrane
- Salt Rejection - 97 to 99%
- Consistent Results & Proven Performance

BEST PERFORMANCE UPTO - 4000* TDS

AQUA RO MEMBRANES

NANSHE®
शुद्ध जल स्वस्थ जीवन

100%
IMPORTED

- Flow - 18 to 19 Ltr.
- 100 % Genuine Product
- Best Performance
  Upto - 1500* TDS
- Salt Rejection
  - 95%
- Consistent Results
  & Proven Performance

WORKS UP TO

1500* TDS

80 GPD

BOOSTER PUMP

1.700 KG
Weight

2 MTR
Suction Height

Open Flow
1500 to 1800 ML/MIN

100 GPD

NANSHE®
शुद्ध जल स्वस्थ जीवन

CLASSIC

BOOSTER PUMP

1 YEAR
REPLACEMENT
WARRANTY

1.587KG
Weight

2 MTR
Suction Height

Open Flow
1500 to 1800 ML/MIN

100 GPD

NANSHE®
शुद्ध जल स्वस्थ जीवन

ELITE

BOOSTER PUMP

1 YEAR
REPLACEMENT
WARRANTY

- Diaphragm Self Priming Pump
- 3 Years Performance Assurance
- Noiseless
- 100% Pure Copper
- 6PCs Master Pack

NANSHE®
शुद्ध जल स्वस्थ जीवन

SUPREME

BOOSTER PUMP

100
150
300
GPD



100% IMPORTED PUMP

2 YEARS
REPLACEMENT WARRANTY

2 KG

3 MTR
Suction Height

Open Flow
1100 to 2000 ML/MIN

100 GPD

NANSHE®
शुद्ध जल स्वस्थ जीवन

TITAN

BOOSTER PUMP

2 YEARS
UNCONDITIONAL
WARRANTY

1ST TIME INTRODUCE IN INDIA

2.18 KG

4 MTR
Suction Height

Open Flow
1500 to 2200 ML/MIN

NANSHE®
शुद्ध जल स्वस्थ जीवन

TITAN

BOOSTER PUMP

150
GPD

2 YEARS UNCONDITIONAL WARRANTY

1ST TIME INTRODUCE IN INDIA

2.22 KG

4 MTR
Suction Height

Open Flow
2000 to 3000 ML/MIN

NANSHE®
शुद्ध जल स्वस्थ जीवन

TITAN

BOOSTER PUMP

300
GPD

2 YEARS UNCONDITIONAL WARRANTY

1ST TIME INTRODUCE IN INDIA

2.001KG
Weight

Copper
Winding

Open Flow
1500 to 1700 ML/MIN

NANSHE®
शुद्ध जल स्वस्थ जीवन

SUPREME

BOOSTER PUMP

100 | 150 | 300 GPD



2
YEARS

REPLACEMENT
WARRANTY

NANSHE®
शुद्ध जल स्वस्थ जीवन

2.100KG
Weight

Copper
Winding

Open Flow
1500 to 1700 ML/MIN

DIAMOND

100
150
300
GPD

SELF PRESSURE REGULATING PUMP

PROTECT THE LIFE OF MEMBRANE

2 YEARS REPLACEMENT WARRANTY

INLINE FILTERS

INLINE FILTER

NANSHE®
शुद्ध जल स्वस्थ जीवन

CLASSIC

OEM BRAND AVAILABLE

- 100% Virgin Food Grade Plastic
- 1100 Iv Activated (On Order) Coconut Shell Carbon
- "SPUN" in Sediment Filter
- Reliable & Quality Tested Filters
- Attractive & Compaq Mould

TESTED EACH PCS TO PCS WITH AIR TEST FOR LEAKAGE.

Push Fit

Thread Fit

INLINE FILTER

NANSHE®
शुद्ध जल स्वस्थ जीवन

PRIME

OEM BRAND AVAILABLE

- 100% Virgin Food Grade Plastic
- 1100 Iv Activated (On Order) Coconut Shell Carbon
- "SPUN" in Sediment Filter
- Reliable & Quality Tested Filters
- Attractive & Compaq Mould

TESTED EACH PCS TO PCS WITH AIR TEST FOR LEAKAGE.

INDUSTRY'S MOST POPULAR DESIGN

RO HOUSINGS

MEMBRANE HOUSING

NANSHE®
शुद्ध जल स्वस्थ जीवन

Made From
Premium
Raw Materials

Tested Upto
9 KG Pressure

Weight -
220 GMS

Double O'Ring
1 - SILICONE O'RING
1 - NITRILE RUBBER O'RING

CLAMP CAP

PRE FILTER HOUSING

NANSHE®
शुद्ध जल स्वस्थ जीवन

PRIME

- Made From Premium Raw Materials
- Tested Upto 9 kg pressure
- 430 GMS
- Two in One Solution for MLT & SPUN

PROJECT CAP

PRE FILTER HOUSING

NANSHE®
शुद्ध जल स्वस्थ जीवन

Made From
Premium
Raw Materials

Tested Upto
9 kg pressure

430 GMS

Two in One Solution
for MLT & SPUN

PRIME

DOUBLE O RING

PRE FILTER HOUSING

NANSHE®
शुद्ध जल स्वस्थ जीवन

Made From
Premium
Raw Materials

Tested Upto
9 KG Pressure

Weight -
510-520 GMS

Double O'Ring
1 - SILICONE O'RING
1 - NITRILE RUBBER O'RING

SUITABLE
FOR PREMIUM
QUALITY
ONLINE/UTC RO

ALKALINE FILTERS

ALKALINE FILTER

NANSHE®
शुद्ध जल स्वस्थ जीवन

BENEFITS OF B12 ALKALINE

- **Anti Aging Effects**
- **Restores pH Balance in Body**
- **Supplies Essential Minerals**
- **Smaller Water Cluster Size**

ALKALINE FILTER

NANSHE®
शुद्ध जल स्वस्थ जीवन

GOODNESS OF
AYURVEDA

M.R.P. ₹3250/-

- **Antioxidant**
- **Vitamin B12**
- **Minerals**

ALKALINE FILTER

NANSHE®
शुद्ध जल स्वस्थ जीवन

GOODNESS OF
COPPER

- Hydrogen
- Alkaline
- Antioxidant
- Micro Cluster
- Negative ORP
- Trace Minerals

M.R.P.
₹3650/-

ALKALINE FILTER

ZINC

COPPER + ALKALINE

NANSHE®
शुद्ध जल स्वस्थ जीवन

M.R.P.
₹3699/-

- Antioxidant
- Vitamin B12
- Minerals

IONIZER

3 PLATE IONIZER

MADE FROM ONE OF THE
TOP MOST COMPANY FROM KOREA

NANSHE®
शुद्ध जल स्वस्थ जीवन

Alkaline1 | 8-8.5 pH
Drinking purpose

Alkaline 2 | 9-9.5 pH
Drinking purpose

Alkaline 3 | 10-10.5 pH
Cooking purpose

Alkaline 4 | 11-11.5 pH
To wash vegetables
and fruits

Purified | 7 pH
While taking medicine
use this water

Acidic 1 | 5-6 pH
Use this for beautification,
facewash and bathing

Acidic 2 | 2-3 pH
To sanitise or sterilize
an object

2 YEARS MACHINE WARRANTY

NSF

FDA APPROVED

5 YEARS PLATE WARRANTY

• LESS MAINTENANCE | • NO HARMFUL CHEMICALS USED

5 PLATE IONIZER

MADE FROM ONE OF THE
TOP MOST COMPANY FROM KOREA

NANSHE®
शुद्ध जल स्वस्थ जीवन

Alkaline1 | 8-8.5 pH
Drinking purpose

Alkaline 2 | 9-9.5 pH
Drinking purpose

Alkaline 3 | 10-10.5 pH
Cooking purpose

Alkaline 4 | 11-11.5 pH
To wash vegetables and fruits

Purified | 7 pH
While taking medicine use this water

Acidic 1 | 5-6 pH
Use this for beautification, facewash and bathing

Acidic 2 | 2-3 pH
To sanitise or sterilize an object

2 YEARS MACHINE WARRANTY

NSF

FDA APPROVED

5 YEARS PLATE WARRANTY

• LESS MAINTENANCE | • NO HARMFUL CHEMICALS USED

7 PLATE IONIZER

MADE FROM ONE OF THE
TOP MOST COMPANY FROM KOREA

NANSHE®
शुद्ध जल स्वस्थ जीवन

- Plate Type: Solid Type
- Plate Size: 114mm X 63mm (TOTAL SURFACE AREA : 5027 SQUARE CM)
- Plate Material: Titanium (Grade 1 Medical) with the coating of Platinum (Purity 99.99%+)
- Power Supply: 130 Watts
- Maximum pH Alkaline: 11.5
- Maximum pH Acid: 2.5
- ORP: Upto -900mv
- Hydrogen: Upto 1900ppb

2 YEARS MACHINE WARRANTY

NSF

FDA APPROVED

5 YEARS PLATE WARRANTY

- LESS MAINTENANCE | - NO HARMFUL CHEMICALS USED

CONSUMABLES

SPUN FILTER

NANSHE®
शुद्ध जल स्वस्थ जीवन

SPUN FULL RANGE

- 85 GMS
- 90 GMS
- 110 GMS
- 120 GMS
- 130 GMS
- 150 GMS

10" SLIM & JUMBO

AVAILABLE WITH CUSTOMIZED BRAND NAME & PACKING

SPUN FILTER

NANSHE®
शुद्ध जल स्वस्थ जीवन

20" JUMBO

4" - 725 GMS | 4.5" - 825 GMS

20" SLIM

190 GMS | 250 GMS

AVAILABLE WITH CUSTOMIZED BRAND NAME & PACKING

WOUND FILTER

NANSHE®
शुद्ध जल स्वस्थ जीवन

PROMISES THE PURE TASTE OF YOUR WATER

Available in
10", 20", 30" & 40"
Slim & Jumbo

- Gradient Density Purity
- Multi-Layered Safety
- 100% Pure Polypropylene
- 100% Pure Virgin Core

AVAILABLE WITH CUSTOMIZED BRAND NAME & PACKING

NANSHE®
शुद्ध जल स्वस्थ जीवन

RO TUBING

300 MTR

100 MTR

QUALITY TUBING MANUFACTURER



MAKE TUBING IN YOUR BRAND

ELECTRICALS

NANSHE®

शुद्ध जल स्वस्थ जीवन

WATER RESISTANT

SOLENOID VALVE

- Proudly Make in India Product
- Unique and Attractive Design
- Compatible with all Purifiers
- High Quality Mechanism

MADE FROM DERLIN MATERIAL

NEW INNOVATIVE DESIGN FIRST TIME IN INDIA

1 YEAR REPLACEMENT WARRANTY

WATER RESISTANT



NANSHE®
शुद्ध जल स्वस्थ जीवन

WATER RESISTANT

SOLENOID VALVE

- Proudly Make in India Product
- Unique and Attractive Design
- Compatible with all Purifiers
- High Quality Mechanism

MADE FROM DERLIN MATERIAL

NEW INNOVATIVE DESIGN FIRST TIME IN INDIA

1 YEAR REPLACEMENT WARRANTY

WATER RESISTANT

PARTICLE CONTACT RESISTANCE TECHNOLOGY

NANSHE®
शुद्ध जल स्वस्थ जीवन

WATER RESISTANT

SOLENOID VALVE

- Proudly Make in India Product
- Unique and Attractive Design
- Compatible with all Purifiers
- High Quality Mechanism
- 100% Pure Copper

WATER RESISTANT

NANSHE®
शुद्ध जल स्वस्थ जीवन

SMPS CLASSIC

EFFICIENT POWER SUPPLY
ULTIMATE PERFORMANCE

Complete Range Available

24V - 1.5A / 2.5 / 3A

36V - 2.5A / 3A

1 YEAR

REPLACEMENT WARRANTY

NANSHE®
शुद्ध जल स्वस्थ जीवन

SMPS
HEAVY DUTY

EFFICIENT POWER SUPPLY
ULTIMATE PERFORMANCE

Complete Range Available

1. 24V 1.5/2 A CHARGER TYPE
2. 24V 1.5/2 5/3 AMP
3. 36V 1.5/2 5/3 AMP
4. 24/36V 3.5 AMP

1 YEAR
REPLACEMENT WARRANTY

RO SYSTEMS

मानकः पथप्रदर्शकः
CM/L : 7200271610

IS 16240:2023

NANSHE®
शुद्ध जल स्वस्थ जीवन

RO SYSTEMS

UNIQUE DESIGNS WITH PURITY!

RO + UV + UF +
TDS + ZINC +
COPPER + ALKALINE

मानकः पथप्रदर्शकः
CM/L : 7200271610

IS 16240:2023

NANSHE®
शुद्ध जल स्वस्थ जीवन

RO SYSTEMS

UNIQUE DESIGNS WITH PURITY!

RO + UV + UF + TDS + COPPER + ALKALINE

मानकः पथप्रदर्शकः
CM/L : 7200271610

IS 16240:2023

NANSHE®
शुद्ध जल स्वस्थ जीवन

RO SYSTEMS

UNIQUE DESIGNS WITH PURITY!

RO + UV + UF + TDS + ALKALINE

NANSHE®
शुद्ध जल स्वस्थ जीवन

Ecopure

COMMERCIAL RO SYSTEMS

UNIQUE DESIGNS WITH PURITY!

NANSHE®
शुद्ध जल स्वस्थ जीवन

Ecopure

COMMERCIAL RO SYSTEMS

UNIQUE DESIGNS WITH PURITY!

NANSHE®
शुद्ध जल स्वस्थ जीवन

COMMERCIAL RO SYSTEMS

UNIQUE DESIGNS WITH PURITY!

NANSHE®
शुद्ध जल स्वस्थ जीवन

COMMERCIAL RO SYSTEMS

UNIQUE DESIGNS WITH PURITY!

NANSHE®
शुद्ध जल स्वस्थ जीवन

COMMERCIAL RO SYSTEMS

UNIQUE DESIGNS WITH PURITY!

AUTO TDS RO & PANEL

AUTO TDS CONTROLLER
RO SYSTEM

NANSHE®
शुद्ध जल स्वस्थ जीवन

• 25 LPH Output

Comes With
Industrial Grade IC

Works With
Excellent Accuracy

Sense Water
5 Times in 1 Second

1st TIME IN MARKET

BEST SUITABLE
FOR WATER IONIZER

NANSHE®
शुद्ध जल स्वस्थ जीवन

SMART TDS CONTROLLER PANEL

Comes With Industrial Grade IC

Works With Excellent Accuracy

Sense Water 5 Times in 1 Second

1st TIME IN MARKET

DISTRIBUTION PRODUCTS

VONTRON

NANSHE®
शुद्ध जल स्वस्थ जीवन

AUTHORIZED DISTRIBUTOR

&

SUPER STOCKIST OF VONTRON MEMBRANE

MEMBRANES

NANSHE®
शुद्ध जल स्वस्थ जीवन

TRADITION OF PRECISION

(LP21 - 4040 & LP22 - 8040)

SALIENT FEATURES		
Model	LP21-4040	LP22-8040
Membrane Area - ft2 (m2)	100(9.3)	400(37.2)
Rejection Rate (%)	99.6	99.7
Flow Rate - GPD (m3/d)	2800(10.6)	10500(39.7)
Spacer Thickness (mil)	28	28

- HIGH PRECISION ROLLING TECHNOLOGY
- HIGH DESALINATION PA LAYER
- PATENTED U-ARC WATER DISTRIBUTION ENDCAP*

INDUSTRIAL MEMBRANE

HM DIGITAL®

NANSHE®
शुद्ध जल स्वस्थ जीवन

TDS & PH METER

THE AUTHORIZED DISTRIBUTOR

HM DIGITAL®

NANSHE®
शुद्ध जल स्वस्थ जीवन

PH & ORP METER



THE AUTHORIZED DISTRIBUTOR

PHILIPS

NANSHE®
शुद्ध जल स्वस्थ जीवन

UV LAMP

4 W
8 W
11 W

THE AUTHORIZED
DISTRIBUTOR

IMPORT PRODUCTS

B.N.Q.S.

NANSHE®
शुद्ध जल स्वस्थ जीवन

ANTISCALANT BALLS

WE SUPPLY ONLY ORIGINAL
COMPONENTS & QUALITY BRAND

100 GPD
150 GPD
300 GPD

AVAILABLE AT COMPETITIVE RATES

ORIGINAL PRODUCTS
BEST QUALITY
100%

NANSHE®
शुद्ध जल स्वस्थ जीवन

ANTISCALANT BALLS

AN ECONOMICAL WAY TO PROTECT WATER SYSTEM AGAINST

SCALE & CORROSION

TANKLIFE PRESSURE TANK

NANSHE®
शुद्ध जल स्वस्थ जीवन

4G 11G
6G 20G

GREAT WALL THICKNESZ

QUICK & EASY INSTALLATION
AVAILABLE WITH TANK COCK

GREAT DEALS AVAILABLE ON BULK BUY

NANSHE®

शुद्ध जल स्वस्थ जीवन

GAC-CTO

- FOR ADSORPTION OF IMPURITIES AND CONTAMINANTS
- REMOVE CHLORINE AND OTHER ORGANIC CHEMICALS

BODEER
波得尔

NANSHE®
शुद्ध जल स्वस्थ जीवन

FITTINGS

- EASILY REPLACEABLE
- LEAKAGE PROOF
- EXCELLENT CONTROL



Boda
Faucet 博多水龙头

NANSHE®
शुद्ध जल स्वस्थ जीवन

GOOD QUALITY TAPS

- EASILY REPLACEABLE
- LEAKAGE PROOF
- EXCELLENT CONTROL



NANSHE®
शुद्ध जल स्वस्थ जीवन

SOLENOID VALVE

HERO

三力信 Sanlixin®

- 24V DC
- PRESSURE 0-120 PSI
- COMPATIBLE WITH ALL TYPES OF RO

100% ORIGINAL SUPPLY
ORIGINAL
24/7 AVAILABILITY



KFLOW®

NANSHE®
शुद्ध जल स्वस्थ जीवन

FLOW RESTRICTOR

HUGE BENEFIT
ON BULK ORDERS

AUTHORISED SELLER

ORIGINAL PRODUCT
100 % ORIGINAL
ORIGINAL PRODUCT

NANSHE®
शुद्ध जल स्वस्थ जीवन

FLOW RESTRICTOR

HUGE BENEFIT ON BULK ORDERS

AUTHORISED SELLER

ORIGINAL PRODUCT
100 % ORIGINAL
ORIGINAL PRODUCT

INDUSTRIAL

NANSHE®
शुद्ध जल स्वस्थ जीवन

- **Superior Quality & Performance**
- **Robust & Reliable**
- **High Efficiency & Capacity**

INDUSTRIAL RO PLANTS

1000 LPH

1000 LPH

FRP VESSEL

NANSHE®
शुद्ध जल स्वस्थ जीवन

- **Durable & Reliable**
- **Long Service Life**
- **Strong Processability**
- **High Strength**
- **Flexible Design**

FRP VESSEL

NANSHE®
शुद्ध जल स्वस्थ जीवन

NANSHE FRP PRESSURE VESSEL						
Model	Vessel Size		Vol	Opening		Base
	Inch	MM	L	Top	Bottom	
NS844	8X44	205X1125	32.2	2.5"		PP Round
NS1054	10X54	257X1390	61.9	2.5"		PP Round
NS1354	13X54	334X1400	103.6	2.5"		PP Round
NS1465	14X65	369X1665	149.6	2.5"		PP Round
NS1665	16X65	410X1665	193.4	2.5"		PP Round
NS1865	18X65	465X1670	249	4"-8UN	4"-8UN	SMD
NS1865T	18X65	465X1870	249	4"-8UN	4"-8UN	SMD
NS2472	24X72	615X2150	471	4"-8UN	4"-8UN	SMD
NS3072	30X72	780X2150	745	4"-8UN	4"-8UN	SMD
NS3672	36X72	918X2180	960	4"-8UN	4"-8UN	SMD

MEMBRANE HOUSING

NANSHE®
शुद्ध जल स्वस्थ जीवन

- **Material :** FRP & SS 304
- **Size :** 4 Inch and 8 Inch (& Port & Side Port)
- **Pressure :** Up to 1200 PSI
- **Length :** 1 to 6 Elements

VONTRON

NANSHE®
शुद्ध जल स्वस्थ जीवन

TRADITION OF PRECISION

(LP21 - 4040 & LP22 - 8040)

SALIENT FEATURES

Model	LP21-4040	LP22-8040
Membrane Area - ft2 (m2)	100(9.3)	400(37.2)
Rejection Rate (%)	99.6	99.7
Flow Rate - GPD (m3/d)	2800(10.6)	10500(39.7)
Spacer Thickness (mil)	28	28

- High precision rolling technology
- High desalination PA layer
- Patented U-Arc water distribution endcap*

4” SERIES
4040

NANSHE®
शुद्ध जल स्वस्थ जीवन

MODEL	A MM	B MM	C MM	D MM
NS-4040	1016	100	19	32

Model	NS-LP-4040	NS-BW-4040
Active Membrane Area ft2 (m2)	84(8)	125 (12.0)
Average Permeate GPD (m3/d)	2400 (9.1)	1500 (6.0)
Stable Rejection Rate %	99-99.5	99-99.5
Min. Rejection Rate %	97	99.0
Max TDS	2500	5000

8" SERIES
8040

NANSHE®
शुद्ध जल स्वस्थ जीवन

MODEL	A MM	B MM	C MM	D MM
NS-8040	1016	200	28.7	0

Model	NS-LP-8040	NS-BW-8040
Active Membrane Area ft2(m2)	420 (40.0)	400 (37.2)
Average Permeate Ltrs. (Per/Hr)	1000	950
Stable Rejection Rate %	96-97	99
Min. Rejection Rate %	96	98
Max TDS	2500	5000

ULP21 4040

WORKS UPTO 1500 TDS*

260 LPH FLOW

9 KG WORKING PRESSURE

INDUSTRIAL MEMBRANE

DOSING PUMP

NANSHE®
शुद्ध जल स्वस्थ जीवन

EFFICIENCY AT ITS BEST.

Longer Life

Robust Body

BEST PERFORMANCE

TECHNICAL DETAILS

Model	GD 01
Capacity	6 LPH
Pressure	4 Kg/Cm2
Type	Solenoid Operated Electronic Dosing Pump
Input Power Supply	24V DC
Input Power Consumption	40 Watt
Flow Adjustment	By Manual Adjustable Speed SPM 0-120
Negative Suction	1 mtr
End Connection	3/8" Hose Holde
Environment Temperature	45*C max.
Temperature Of Liquid Handled	50*C max
Shipping Weight	3.5 Kg

NANSHE®
शुद्ध जल स्वस्थ जीवन

ION EXCHANGE RESIN

MODEL - N25 NA

MODEL	001X7	001X8
Matrix	Styrene-DVB-Copolymer, gel-type	
Functional Group	-SO3H	-SO3H
Ionic Form	Na +	Na +
Weight Exchange Capacity	24.5mmol/g	24.5mmol/g
Volume Exchange Capacity	21.9 mmol/ml	22.0 mmol/ml
Bulk Density (g/ml)	0.77-0.87g/ml	0.78~0.88g/ml
Water Retention Capacity (Moisture Content)	45%~50%	42%~48%
Particle Size Range	0.315~1.25 mm ≥ 95	0.315-1.25 mm ≥ 95
Uniformity Coefficient	≤1.6	≤1.6
Whole Bead Count (%) (Sphericity after attrition)	≥90%	≥95%
Maximum Operating Temperature	120 C	120 C

NANSHE®
शुद्ध जल स्वस्थ जीवन

MODEL NO.	CUTOUT SIZE	QUICK REFERENCE
NS1 Prime	141 (H) X 171 (W)	Series - NS1 | 0.75 HP X 1.5 HP
MS1 Classic	215 (H) X 190 (W)	Series - NS1 | 1.0 HP X 2.0 HP
NS1 1-1 With TDS	155 (H) X 170 (W)	Series - NS1 | 2.0 HP X 3.0 HP
NS2 1-1 With TDS	198 (H) X 193 (W)	Series - NS2 | 2.0 HP X 3.0 HP
NS3 1-1	215 X 190	Series - NS3 | 2.0 HP X 3.0 HP
NS3 1-3	215 X 190	Series - NS3 | 2.0 HP X 4.5 HP
NS3 3-3	215 X 190	Series - NS3 | 3.0 HP X 5.5 HP
NS4 1-1	283 (H) X 283 (W)	Series - NS4 | 2.0 HP X 4.0 HP
NS4 1-3	283 (H) X 283 (W)	Series - NS4 | 2.0 HP X 5.5 HP
NS4 3-3	283 (H) X 283 (W)	Series - NS4 | 3.0 HP X 7.5 HP

RO CONTROLLER

NANSHE®
शुद्ध जल स्वस्थ जीवन

SOLENOID VALVE (NYLON)

BODY MATERIAL	NV66 (NYLON VERGIN)
PIPE SIZE	1/2" 3/4" 1" INCH
PRESSURE	**0-7 BAR**
SEAL MATERIAL	**NBR**
MEDIA TEMP.	**10°C-80°C**
VOLTAGE	**AC-220V, DC-12V, 24V**
MEDIA	**AIR, WATER, GAS ETC..**

MULTIPORT VALVE

NANSHE®
शुद्ध जल स्वस्थ जीवन

- ***Long Service Life***
- ***Superior Sealing***
- ***Innovative Design***
- ***Easy Operation***

FLOW (LPH)	FLOW (LPM)	CONNECTION
5 - 60	0.1 - 1	1/4”
25 - 250	-	1/2”
60 - 600	2 - 10	1/2”
200 - 1200	4 - 20	1/2”
400 - 2400	6 - 40	3/4”
500 - 3500	-	1”
500 - 4500	7.5 - 75	1”
600 - 6000	10 - 100	1”
1000 - 10000	15 - 150	1.5”

ROTA METER

NANSHE®
शुद्ध जल स्वस्थ जीवन

MATERIAL OF ROTAMETER PARTS

JOINT FITTINGS PVC
THREAD PVC
BODY ACRYLIC
FLOATS SS



SR. NO.	MODELS	PRESSURE RANGE	MOC
1	Bottom Conn. - Normal	0-10 Kg/cm2	MS
2	Bottom Conn. - 2.5" Dial	0-7 Kg/cm2	SS
3	Back Conn. - 2.5" Dial (Screw Bracket & Panel Type Both)	0-7 Kg/cm2	SS
4	Bottom Conn. - 2.5" Dial	0-21 Kg/cm2	SS
5	Back Conn. - 2.5" Dial (Screw Bracket & Panel 5 Type Both)	0-21 Kg/cm2	SS

NANSHE®
शुद्ध जल स्वस्थ जीवन

PRESSURE GAUGE



BACK CONN. PANNEL

BACK CONN. SCREW BACKET

BOTTOM

NANSHE®
शुद्ध जल स्वस्थ जीवन

COMMERCIAL HOUSINGS

- ***10" 20" Slim (2.5" Dia) & Jumbo (4.0" Dia) Available***
- ***In Out Connection 1/2", 3/4", 1" & 1.5" Available***
- ***Zero Leakage - Tested on High Pressure Also***
- ***Also available in Food Grade Material***

SPUN FILTER

NANSHE®
शुद्ध जल स्वस्थ जीवन

20" JUMBO

4" - 725 GMS | 4.5" - 825 GMS

20" SLIM

190 GMS | 250 GMS

AVAILABLE WITH CUSTOMIZED BRAND NAME & PACKING

WOUND FILTER

NANSHE®
शुद्ध जल स्वस्थ जीवन

PROMISES THE PURE TASTE OF YOUR WATER

Available in
10", 20",
30" & 40"
Slim & Jumbo

- Gradient Density Purity
- Multi-Layered Safety
- 100% Pure Polypropylene
- 100% Pure Virgin Core

AVAILABLE WITH CUSTOMIZED BRAND NAME & PACKING

PLEATED CARTRIDGE

NANSHE®
शुद्ध जल स्वस्थ जीवन

ADVANCED FILTRATION IN EVERY PLEAT

OPERATING DATA

SURFACE AREA	10" STANDARD: 0,50-0.70 M^2
MAX. OPERATING TEMP	N6-60°C: PP-80°C; PES-85°C: PVDF-90°C
MAX, PRESSURE DROP	0.42 MPA, 25°C
MAX ANTI-PRESSURE DROP	0.28 MPA, 25°C
MAX STERILIZING TEMP	120°C, 30 MINS
FILTRATION LIFE	3-6 MONTHS/2500G

NANSHE®
शुद्ध जल स्वस्थ जीवन

IMPORTED
UF MEMBRANE

- ***Available size - 10" Slim, 20" (Slim) & 20" Jumbo***
- ***MOC of Membrane - PVDF***

IMPORTED UV STERILIZER

NANSHE®
शुद्ध जल स्वस्थ जीवन

AVAILABLE SIZES

SIZE	6W	12W	16W (SINGLE HEAD)	16W (DOUBLE HEAD)	25W	30W	55W	80W
FLOW RATE	100 LTR	250 LTR	500 LTR		1500 LTR	2000 LTR	3000 LTR	5000 LTR
LENGTH	10"	12"	16"		24"	36"	38"	38"
CONNECTION	1/4"	1/2"	1/2"	3/4"	1"	1"	1"	1"

GREEN DOSE
RO CHEMICAL

NANSHE®
शुद्ध जल स्वस्थ जीवन

- ***Antiscalant Dosing Chemical***

- ***Low pH Membrane Cleaning Chemical***

- ***High pH Membrane Cleaning Chemical***

NANSHE®
शुद्ध जल स्वस्थ जीवन

HIGH PRESSURE PUMP

AVAILABLE BRANDS

- Kirloskar
- Lubi
- C.R.I

STAINLESS STEEL WATER TANKS

NANSHE®
शुद्ध जल स्वस्थ जीवन

- **AVAILABLE SIZES**
  100 LTR, 500 LTR, 1000 LTR, 2000 LTR, 3000 LTR AND ABOVE.....
- **THICKNESS**
  From 0.5 Mm To 1.0 Mm Thickness

CUSTOMIZED TANKS ALSO AVAILABLE

ACCESSORIES

NANSHE®
शुद्ध जल स्वस्थ जीवन

Distribution System

Air Vent

FLOATY

PRESSURE SWITCH

VACUUM BREAKER

PARSHWAM

Purity Assured

Corporate Office Address
C 108, Signature Business Park-2,
Nr. Sarkhej Sanand Circle, Sarkhej,
Ahmedabad – 382210

Factory Address
24, Kesar Sopan Estate, Changodar
Highway, After Moraiya Crossing,
Moraiya, Ahmedabad - 382213

+91 99045 75045, +91 89800 42543, +91 75740 19483

md@efplwater.com, sales@efplwater.com

GET EVERYTHING ABOUT WATER AT ONE SPOT

www.nanshe.in